



International Journal of Innovative Research in Computer and Communication Engineering

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)





International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

TruthGuard

Fatima Sultana Sayed¹, Tahiya Ishaque Raza¹, Jafeera Jamil Ansari¹, Prof. Mansi Trivedi²

UG Students, Dept. of AI&DS, Rizvi College of Engineering, Mumbai, India¹

Professor, Dept. of AI&DS, Rizvi College of Engineering, Mumbai, India²

ABSTRACT: The rapid proliferation of misinformation across digital platforms has emerged as a critical global challenge, significantly impacting public perception and decision-making. TruthGuard is an AI-powered web-based platform designed to detect and verify fake news by analyzing content against multiple trusted sources in real time. The system enables users to submit a news URL, extract its content, and evaluate its authenticity using intelligent algorithms. The platform integrates advanced Artificial Intelligence techniques with real-time web search capabilities through an AI SDK. It performs multi-source verification by comparing extracted content with reliable news outlets, analyzing semantic similarity, credibility, and contextual accuracy. Based on this analysis, TruthGuard generates a final classification of the news as True or Fake along with a confidence score. Additionally, the system provides secure user authentication, scalable architecture using modern frameworks, and an intuitive user interface. Unlike traditional fact-checking methods, TruthGuard emphasizes automation, speed, and explainability. This project demonstrates how AI-driven solutions can effectively combat misinformation and enhance trust in digital information ecosystems.

KEYWORDS: Artificial Intelligence, Fake News Detection, News Verification, Natural Language Processing, AI SDK, Web Scraping, Multi-Source Analysis, Machine Learning

I. INTRODUCTION

In the digital era, the rapid growth of online platforms has transformed how information is consumed and shared. Social media, blogs, and news websites have made information more accessible than ever before. However, this ease of access has also led to the widespread dissemination of fake news and misinformation. Fake news refers to false or misleading information presented as legitimate news. It can influence public opinion, create confusion, and even lead to serious societal consequences such as political instability and public panic. Detecting fake news manually is time-consuming and unreliable, especially given the vast volume of content generated daily. Traditional fact-checking methods rely on human verification, which lacks scalability and speed. Therefore, there is a need for automated systems that can quickly analyze and verify news content. Artificial Intelligence and Natural Language Processing (NLP) offer promising solutions to address this issue. TruthGuard is developed as an intelligent fake news detection platform that leverages AI to verify news authenticity. It enables users to input a news link and receive an instant verification result. The system extracts textual data from the article and compares it with multiple trusted sources available online. By analyzing linguistic patterns, semantic similarity, and source credibility, TruthGuard determines whether the news is reliable. The platform also provides a confidence score to indicate the level of certainty in its prediction. The system integrates real-time web search capabilities, making it more dynamic and accurate compared to static datasets. It ensures that the verification process reflects the most recent and relevant information available.

II. RELATED WORK

Fake news detection has been widely studied in recent years due to its increasing impact on society. Various approaches have been proposed using machine learning, deep learning, and natural language processing techniques. Early methods relied on manual fact-checking and rule-based systems, which were limited in scalability and accuracy. Later, machine learning models such as Naïve Bayes, Support Vector Machines (SVM), and Logistic Regression were used to classify news articles based on textual features. Deep learning approaches, including Recurrent Neural Networks (RNN) and Long Short-Term Memory (LSTM), improved accuracy by capturing sequential dependencies in text data. Convolutional Neural Networks (CNN) were also used to identify patterns in textual content. More recent studies have focused on transformer-based models like BERT (Bidirectional Encoder Representations from Transformers), which provide better contextual understanding of language. These models have significantly enhanced fake news detection performance. Several platforms such as fact-checking websites rely on human experts to verify claims. While reliable,



International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

these approaches are slow and cannot handle large volumes of data. Some systems use social media signals such as user engagement, shares, and comments to detect fake news. However, these signals can be manipulated and may not always reflect truth. Multi-source verification is another approach where information is compared across different sources. This method improves reliability but requires efficient data retrieval and comparison mechanisms. TruthGuard builds upon these existing approaches by combining AI-based content analysis with real-time web search. Unlike traditional systems, it does not rely solely on pre-trained datasets but dynamically verifies information from trusted sources. The integration of AI SDK enables automated extraction, comparison, and evaluation of news content. This approach enhances both accuracy and speed. Recent advancements in fake news detection have explored hybrid models that combine both content-based and context-based features. Content-based methods focus on linguistic patterns, writing style, and semantic meaning of the text, while context-based methods analyze user behavior, propagation patterns, and network interactions. Graph - based approaches have also been introduced to model the spread of information across social networks. These methods help identify how fake news propagates differently compared to genuine news. Studies show that misinformation spreads faster due to emotional and sensational content. Overall, TruthGuard contributes to the field by providing a scalable, real-time, and explainable fake news detection solution.

III. PROPOSED ALGORITHM

Step 1: System Initialization

The TruthGuard system is initialized by loading all required modules, including the frontend interface, backend server, database connection, and AI-based analysis components. Necessary APIs such as web scraping tools and AI SDKs are configured. Pre-trained models and libraries for text processing are also loaded into memory to ensure smooth execution.

Step 2: User Authentication

The user accesses the platform and either registers or logs into the system. Authentication is performed using secure credentials. Once verified, the user is granted access to the dashboard where news verification can be performed.

Step 3: Input News URL

The authenticated user inputs a news article URL into the system. The platform validates whether the URL is properly formatted and accessible. If invalid, an error message is displayed; otherwise, the system proceeds to the next step.

Step 4: Content Extraction

The system fetches the webpage associated with the provided URL. Using web scraping techniques, it extracts relevant textual data such as headline, body content, and metadata. Non-relevant elements like advertisements, scripts, and navigation content are removed.

Step 5: Data Preprocessing

The extracted text is cleaned and prepared for analysis. This includes:

- Removing stopwords and special characters
- Converting text to lowercase
- Tokenization (breaking text into words/sentences)
- Removing redundant or duplicate content

This step ensures that the data is structured and suitable for AI-based processing.

Step 6: Feature Extraction

Important features are extracted from the processed text. These include:

- Keywords and key phrases
- Named entities (persons, places, organizations)
- Sentiment patterns
- Contextual embeddings (semantic meaning of text)

These features are essential for comparing the article with other sources.



International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Step 7: Multi-Source Web Search

The system performs a real-time search using AI-powered search APIs to retrieve similar news articles from trusted sources. Multiple sources are collected to ensure diversity and reliability of information.

Step 8: Content Comparison & Similarity Analysis

The extracted content is compared with the retrieved articles. The system evaluates:

- Semantic similarity between texts
- Consistency of facts and statements
- Matching keywords and entities

Advanced NLP techniques are used to determine how closely the content aligns with trusted sources.

Step 9: Credibility Assessment

Each retrieved source is evaluated based on its credibility. Factors include:

- Source reputation
- Domain authority
- Historical reliability

The system assigns weights to different sources to improve accuracy.

Step 10: AI-Based Classification

Using the analyzed data, the AI model classifies the news article as True or Fake. The decision is based on similarity scores, credibility weights, and contextual analysis.

Step 11: Confidence Score Calculation

A confidence score is generated to indicate the reliability of the classification. This score is calculated based on:

- Number of matching sources
- Degree of similarity
- Source credibility

Step 12: Result Generation

The system compiles the final output, including:

- Classification result (True/Fake)
- Confidence score
- Supporting evidence from sources

Step 13: Display to User

The result is displayed on the user interface in a clear and understandable format. The user can review the outcome and supporting details.

Step 14: Session Termination

After completing the process, the user can either verify another article or log out. The system safely ends the session and clears temporary data.

Step 15: Stop

The process ends, ensuring all operations are completed and system resources are released properly.

IV.PSEUDO CODE

Step 1: Session Start

Step 2: System Access and Authentication Handling

- Initialize user access by providing options for registration and login.
- Capture user credentials and validate them against stored database records.



International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

- If the user is new, create a secure account with encrypted password storage.
- Generate a session token and grant authenticated access to the system.

Step 3: Request Initialization from User Interface

- Load the dashboard interface after successful login.
- Accept user request for news verification through an input field.
- Capture and temporarily store the submitted news URL for processing.

Step 4: URL Verification and Request Validation

- Check whether the provided URL follows a valid format.
- Verify if the link is reachable and contains readable content.
- Reject invalid or broken links and prompt the user for correction.

Step 5: Web Data Acquisition Module

- Send a request to fetch webpage data from the given URL.
- Extract structured content including title, paragraphs, and metadata.
- Filter out irrelevant elements such as scripts, ads, and navigation content.

Step 6: Text Processing and Structuring

- Convert raw extracted data into clean textual format.
- Apply normalization, tokenization, and removal of noise words.
- Structure the processed data into analyzable format for further computation.

Step 7: External Source Mapping and Retrieval

- Generate search queries using important terms from the processed text.
- Fetch related articles from multiple reliable and verified sources.
- Map retrieved data with the input article for further comparison.

Step 8: Decision Engine and Verification Logic

- Analyze similarity between input and retrieved content using AI models.
- Evaluate factual consistency and detect contradictions if present.
- Assign credibility scores to sources and compute final reliability score.
- Classify the news into categories such as **Authentic** or **Misleading**.

Step 9: Output Generation

- Present the verification result along with confidence level to the user.
- Display supporting insights such as matched sources or discrepancies.

Step 10: Session Closure

- Allow user to continue verification or terminate the session.
- On logout, destroy session and securely end system interaction.

V.RESULT

The TruthGuard system was tested using multiple real and fake news articles collected from various online sources. The platform successfully extracted content from URLs and performed real-time verification. The AI-based comparison mechanism effectively identified inconsistencies and similarities across sources. The system demonstrated high accuracy in distinguishing between authentic and fake news. The integration of real-time search significantly improved reliability compared to static dataset-based models. The response time was optimized, ensuring quick results for users. The confidence score feature provided additional transparency, helping users understand the reliability of the result. The system also maintained consistent performance under multiple user requests, showcasing its scalability. Overall, the results indicate that TruthGuard is an efficient and reliable solution for fake news detection.



International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Key Features Simulated:

- **User Registration and Secure Authentication:**

The registration and login modules were successfully tested with secure user authentication. New users were able to create accounts using email and password, while encrypted credential storage ensured data security. Session management was validated to maintain safe access throughout the verification process.

- **News URL Submission and Validation:**

The system successfully accepted news article URLs from users through the dashboard interface. URL validation was tested to ensure only properly formatted and accessible links were processed, reducing errors caused by invalid or broken news sources.

- **Automated Content Extraction:**

The web scraping module was tested with multiple online news websites to extract headlines, article text, and metadata. The system accurately removed advertisements, scripts, and unrelated webpage elements before sending the content for analysis.

- **AI-Based Fake News Detection:**

The AI verification engine was tested with both genuine and fake news samples. The model successfully compared article content against trusted sources and generated classification results as **True** or **Fake** along with a confidence score.

- **Multi-Source Verification:**

The real-time search feature was simulated to retrieve related articles from multiple reliable sources. The system effectively compared information from different publishers to improve the accuracy of the final verification result.

Test Results Summary:

- **Authentication Accuracy:**

The login and registration system consistently validated user credentials and prevented unauthorized access during testing.

- **Content Extraction Performance:**

The scraper successfully extracted readable content from different news websites with high consistency and minimal data loss.

- **Verification Response Speed:**

The system generated fake news detection results within a few seconds, providing fast and efficient user feedback.

- **Classification Reliability:**

The AI model correctly identified misleading and authentic articles with improved accuracy through multi-source comparison.

- **System Stability:**

The platform maintained stable performance during repeated testing sessions without crashes or major processing errors.

VI. CONCLUSION AND FUTURE WORK

In conclusion, TruthGuard presents an effective solution to the growing problem of fake news dissemination. By leveraging Artificial Intelligence and real-time web search, the platform provides accurate and reliable verification of news content. The system automates the process of fact-checking, reducing dependency on manual verification. Its ability to analyze multiple sources enhances credibility and ensures better decision-making for users. The integration of modern web technologies ensures scalability, security, and usability. The platform is designed to be user-friendly, making it accessible to a wide audience. TruthGuard not only detects fake news but also promotes awareness about misinformation. It encourages users to verify information before sharing it. The results demonstrate that AI-driven



International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

approaches can significantly improve fake news detection systems. The project highlights the potential of combining NLP, machine learning, and real-time data retrieval. Overall, TruthGuard contributes to building a more trustworthy digital environment.

Future Scope:

In future versions, the TruthGuard platform can be enhanced by:

1. Supporting multilingual fake news detection for regional and international news.
2. Integrating with social media platforms to verify posts directly.
3. Developing a browser extension for instant news verification while browsing.
4. Adding an analytics dashboard to monitor verification accuracy and user activity.
5. Creating a mobile application for easier access and convenience.

With these improvements, TruthGuard has the potential to become a comprehensive and intelligent misinformation detection platform for everyday users.

REFERENCES

- [1] Vercel Inc. (2025). TanStack Start Documentation. Retrieved from <https://tanstack.com/start>
- [2] Vercel Inc. (2025). AI SDK Documentation. Retrieved from <https://sdk.vercel.ai/docs>
- [3] OpenAI. (2025). Artificial Intelligence for Natural Language Processing. Retrieved from <https://openai.com/>
- [4] IEEE. (2024). Fake News Detection using Machine Learning and Natural Language Processing.
- [5] Springer. (2025). Artificial Intelligence for Misinformation Detection.
- [6] ACM. (2025). Explainable Fake News Detection Systems.
- [7] Mozilla Foundation. (2024). Web Search APIs and Information Retrieval Systems. Retrieved from <https://developer.mozilla.org/>
- [8] S. Kumar & R. Mehta. (2024). "Artificial Intelligence-Based Fake News Detection Using Multi-Source Verification." *International Journal of Artificial Intelligence*, 8(2), 45–59.
- [9] B. Singh. (2024). "The Impact of Fake News on Digital Society and the Need for Automated Detection." *Journal of Digital Media Studies*, 7(1), 12–25.
- [10] A. Deshmukh. (2025). "User-Friendly Design Principles for AI-Powered Misinformation Detection Platforms." *Human-Centered Computing Review*, 11(4), 78–93



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

 9940 572 462  6381 907 438  ijircce@gmail.com



www.ijircce.com

Scan to save the contact details