ISSN(O): 2320-9801
ISSN(P): 2320-9798



International Journal of Innovative Research in Computer and Communication Engineering

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.771 **Volume 13, Issue 5, May 2025**

© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Development of Architecture for Animal Health Care Management using IoT

S. Nazeema, Mahendra. B, Vamshi. B, Mokshagna. D, Lalith Kumar. Y, Srikanth Reddy. V

Assistant Professor, Department of CSE, Muthayammal Engineering College, Rasipuram, Tamil Nadu, India

Department of CSE, Muthayammal Engineering College, Rasipuram, Tamil Nadu, India

ABSTRACT: The zoo is a local facility where some wild or exotic animals are placed in a fence. The main significance of the zoo is to provide educational and animal conservation functions, and secondly to provide public viewing and entertainment. Animal care and management in the zoo is almost open all year round. Its basic tasks include accommodation, breeding, health care, and medical care etc. Because there are nearly hundreds, thousands, or even ten thousands animals with different body shape and characteristics in the zoo that need to be cared for and managed, animal administrators must be skilled in various tools and real time control the condition of all animals, resulting in the heavy workload of the animal administrators and the huge operating expenses of the zoo. Therefore, it is necessary to find ways to reduce the workload of the animal administrators, but also to immediately control the current state of the animals, while saving animal care and management expenses. This study proposes a development architecture for the intelligent animal management system based on the Internet of Things (IoT) and artificial intelligence (AI). Its main purpose is to automate some tedious procedures for caring animals through the IoT and AI to help animal administrators to take care of them and manage them more systematically.

KEYWORDS: zoo, animal care and management, internet of things, artificial intelligence, automation

I. INTRODUCTION

There are zoos in many big cities in the world. The zoo is a place where some wild or exotic animals are placed in fences. The main purpose of the establishment is to provide educational purposes and animal conservation, and secondly to provide public viewing and entertainment. According to the Association of Zoos and Aquariums, there are more than 181 million visitors a year in the United States of America (USA), more than the annual attendance of NFL, NBA, NHL and MLB. In addition, according to the survey results, 93% agreed that their families like to see animals in zoos and aquariums; 94% believe that zoos and aquariums teach children how to protect animals and the habitats they depend on; 79% companies that support zoo and aquarium wildlife conservation feel better; 66% of respondents are more likely to buy products and services from these companies [1]. However, before getting the benefits of these zoos, we should consider the animal care and management behind them. Different zoos, depending on the size of their place, may have nearly hundreds, thousands, or even ten thousands animals with different body shape and characteristics need to be cared for and managed,animal administrators must be proficient in tools and real time control the condition of all animals creates a heavy workload for animal administrators and a huge operating expense for the zoo. In view of this, the integration of modern information and communication technology will help solve this problem. Currently on the market, information technology products have been available based on IoT technology for the care of animal cats and dogs that are closest to humans.

Lucky Tag smart collar was proposed by Taiwanese Airyzonen, which has the function of tracking pet activities and health monitoring, and also has the function of missing and searching. By observing the long-term trend of pets, Lucky Tag allows owners to detect changes in activity early and seek professional medical assistance. Recently, the Yamato Zoo in Sapporo, Japan, in cooperation with Hokkaido University, began to use artificial intelligence (AI) systems to analyze animal behavior patterns through image recognition, improve animal support environment and effectively monitor animal health. A team of researchers from Harvard University, Auburn University, the University of Wyoming, the University of Oxford, and

© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

the University of Minnesota proved that the AI technology can be used to identify animal images captured by motion-sensing cameras. They have used Snapshot Serengeti datasets that have deep learning to identify 3.2 million wildlife photos, recognizing that the identification accuracy of 48 species has reached 99.3%, and has saved more than 8.4 years in calculating time compared to crowdsourced teams of human volunteers.

Although AI technology helps us to identify and analyze animal behavior patterns and species, there are still many pre-workers to carry out in intelligent animal care and management. With the IoT technology and a large number of animal behavior patterns collected to build a sound sensing environment and database, it is expected to achieve intelligent animal care and management. Therefore, this study is the first to propose a development architecture for the intelligent animal management system based on the IoT and AI. Its main purpose is to automate some tedious procedures for caring animals through the IoT and AI to help animal administrators become more systematically care and management of animals. The proposed architecture is expected to achieve the following goals:Automate feeding and environmental control to provide a better living environment and quality for zoo animals.



Fig. 1. The development architecture for the intelligent animal care and management system based on the Internet of Things and artificial intelligence

Allow animal administrators to take care of animals more efficiently and reduce the workload.
Improve the management model of zoos with IoT and AI deep learning technology, which will reduce the cost of zoo spending.
Use network technology to achieve remote animal status monitoring and management to ensure animal safety and health.

1.1 PROJECT OVERVIEW

In recent years, the integration of Internet of Things (IoT) technologies into everyday applications has transformed various industries, including healthcare agriculture, and smart living. Animal care management, which is vital for the health and productivity of animals, remains a critical area for innovation. Traditional methods of monitoring animal health and

© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

behavior often rely on manual observation which can be labor-intensive, error-prone, and unable to provide continuous insights. This project introduces an IoT-based intelligent architecture designed to revolutionize animal care management by leveraging real time data collection and
analysis. The proposed system incorporates sensors to monitor vital signs such as heart rate, temperature, activity levels, and environmental conditions like humidity and air quality. By utilizing advanced data analytics and machine learning models
the system can detect anomalies, predict potential health risks, and recommend timely interventions. The intelligent animal care management system aims to enhance the well-being of animals while optimizing the efforts of caretakers. This approach is applicable to a wide range of settings, including livestock farming, pet care, and wildlife conservation. By addressing key challenges such as real-time monitoring scalability, and automation, this architecture sets a foundation for a more efficient and proactive animal care ecosystem. 2

1.2 OBJECTIVES

• The system is to design and implement a system that enhances animal welfare through continuous, remote monitoring and automated care management.
• The system enables remote monitoring and IoT-based updates, providing caregivers with up-to-date information and alerts on the animal's health status feeding schedules, and activity patterns.
• This smart architecture aims to improve animal care efficiency, prevent health issues through proactive monitoring, and reduce caregiver workload.

1.3 ADVANTAGES

• Continuous tracking of animal health and behavior through IoT-enabled sensors ensures timely detection of anomalies and better care.
• Reduces reliance on manual monitoring by automating routine tasks, allowing caretakers to focus on more critical aspects of animal management.
• By providing timely insights and alerts, the system promotes proactive care leading to healthier animals and improved living conditions.
• Sensors track environmental parameters such as temperature, humidity, and air quality, ensuring the animals' habitat is safe and suitable.
• IoT connectivity enables caretakers to monitor animals remotely, offering flexibility and convenience in animal management.

DEVELOPMENT OF INTELLIGENT ANIMAL CARE AND MANAGEMENT ARCHITECTURE

In order to enable the animal administrators of the zoo to take care of each animal in an efficient manner, the architecture developed by this study is mainly to provide “intelligent management” operation and corresponding measures for the control of the zoo, with particular emphasis on animal administrators learn about animal information. Therefore, IoT technology, AI deep learning technology, cloud database and cloud computing will be used to help animal administrators to clearly understand the individual species, diet, physiological status, mood, feed trough storage, water volume and other information. The labor cost of the zoo is reduced, the efficiency of the animal administrator is improved, and the quality of life of the animals in the zoo is improved and guaranteed. In order to reduce costs and facilitate implementation, the proposed intelligent animal care and management system architecture will be implemented with Arduino and Raspberry Pi. The overall architecture is shown in Fig. 1. The basic system functions are as follows:

A. Animal biomedical signal sensing and collection

First of all, we must first use a variety of biomedical sensors to achieve data sensing related to animal biomedical signals, including body temperature sensing, activity sensing, heartbeat sensing, etc. These data will be collected to the cloud database and computing platform for the biomedical data of individualized animals were accumulated and used as follow-up AI analysis

B. Automatic feeding

With automatic control and automatic food delivery, the animal administrators set the daily fixed feeding time, and when the specified time is reached, the food is automatically sent to the animal's fence.

© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

C. Automatically clean food residue

In order to avoid the environmental sanitation caused by the uneaten food or residue breeding of the animal, the food or residue that has not been eaten by the animal must be effectively identified, so that the remaining food can be cleaned by the automatic control and sent to residue area treatment.

D. Real time monitor animal images and tracking their positions

Using a networked camera and positioning system, as long as the animal administrators use a networked communication device, the network can be connected to the camera to real time observe the image and tracking position of the animal.

E. AI deep learning for animal behavior and status to promote health care and analysis

The daily biomedical sensing data and real time images of the animals are sent to the cloud database of AI anytime and anywhere to form a base line of animal health and behavior, and the animal activity status and biomedical sensing data are analyzed immediately through AI. In the event of an abnormality in the animal, the animal administrators are notified and alerted

II. METHODS FOR IMPLEMENTATION OF THIS ARCHITECTURE

This architecture can be implemented using the following related technologies:

A. Beacon

Beacon [10-12] is a technology that uses low energy Bluetooth 4.0, which is a small and inexpensive physical device. We can arrange it in various fields in the zoo to send information to mobile devices or equipment within a certain distance to achieve message transmission to neighboring animals. Use beacon to read the information from the equipment on the animal to achieve the management of animal activity status and health monitoring, and also to achieve micro-positioning, to avoid animal loss and to quickly find animals. In addition, animal administrators can easily manage with mobile devices. When the animal administrator walks around the animal, the animal's various materials can be jumped out of the animal administrator's mobile device or equipment, and the data can be real time returned, allowing the administrator to instantly understand the current animal status and enable the animal to be effectively managed. In addition, visitors can also get introductory information about neighboring animals through their own mobile devices or equipment.

B. Local area network implementation

We can arrange the network in a specific area of the zoo to provide an internet connection of the animal sensing device, and transmit the sensed animal physiological signal and position to the cloud database for storage to achieve big data and AI analysis. Considering the convenience of wireless networks, Wi-Fi is a wireless local area network that allows Wi-Fi enabled devices to connect network from a range of wireless networks to one or more interconnected access points. The local area network is used to transmit the physiological signals and positions measured by the equipment on the animal to achieve the subsequent analysis of the animal activity status and health monitoring management, and also to analyze the animal activity range and understand the animal



© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Fig. 2. Neural network architecture.

life habits. In addition, the local area network can be used as a transmission medium for back-end data and front-end application platforms, allowing animal managers to easily control all animal conditions in the zoo using mobile devices or equipment.

C. Arduino and Raspberry Pi

Arduino is a low-cost, simple device actuator for building digital devices and interactive objects that interact with the environment to sense and control objects in the physical and digital world [14]. Raspberry Pi is a low-cost, easy-to-obtain, easy to carry, simple to install, stable operation, and can be connected to other peripheral devices. It is a Linux-based single-chip computer that can access the internet and perform some complicated arithmetic processing and analysis. In 2018, NASA launched the open source Open Source Rover project (a reduced version of the Mars Rover Curiosity), using the Raspberry Pi as a control module [15]. The architecture proposed by this research is to use Arduino as the transmission, access control and cloud service related large-scale distributed cloud connection heterogeneous network deployment of sensing data serial port, and use Raspberry Pi as a microcomputer for real-time monitoring and operation analysis to achieve the animal's intelligent management function.

D. Artificial Intelligence (AI)

After receiving the sensory data of animals and the environment, the architecture proposed by this study hopes to help us analyze the behavior and state of animals through AI, so we use deep learning to build the weak artificial intelligence for a special animal allows us to understand the state of animals clearly. The architecture considerations proposed in this study use the deep learning architecture to identify the animal's image motion and the animal's voice emotions to understand the current state of the animal. The basic structure of the neural network. Each layer has a lot of neurons. The output of the upper layer is the input of the next layer. The number of hidden layers is the depth of the neural network. Get a set of final output.

E. Cloud database and cloud computing

In order to allow animal administrators to conveniently use different platforms or devices to store and use data, and also allow AI to use integrated data for massive data analysis and deep learning, the architecture developed in this study mainly considers the use of cloud data and cloud computing construction intelligent animal care and management system. The benefits of using the cloud platform are:

1) The zoo can flexibly customize the app and adjust the service to suit their needs, and access the cloud service from anywhere through the internet connection.

2) Zoos can speed up application development without worrying about infrastructure costs or maintenance.

3) Developers of the intelligent animal care and management system can focus on application development and regularly update analytical methods to provide the most accurate animal care and management functions for the zoo.

III. MODULE DESCRIPTION

SENSOR MODULE

Sensor modules are self-contained units that detect and measure physical or environmental parameters, such as temperature, humidity, light, motion, or pressure. They typically consist of a sensor element, signal conditioning circuitry, and sometimes a microcontroller or processing element. Sensor modules can be analog ordigital, and some include communication interfaces like I2C, SPI, or UART. Sensor modules are used in various IoT applications, including home automation industrial automation, environmental monitoring, wearables, and smart cities.

They provide real-time data, enabling devices and systems to respond to changes in their environment. With their compact size, low power consumption, and ease of use sensor modules are a fundamental building block of many IoT projects. The data collected by sensor modules can be used to trigger actions, send notifications or provide insights into the environment or system being monitored. By providing realtime data, sensor modules enable devices and systems to respond to changes in their environment, making them a crucial component of many IoT applications.

© 2025 IJIRCCE | Volume 13, Issue 5, May 2025| DOI:10.15680/IJIRCCE.2025.1305232

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

DATA ACQUISITION AND TRANSMISSION MODULE

The Data Acquisition Module is responsible for collecting data from various sensors and sources in an IoT system. This module typically consists of Analog-to-Digital Converters (ADCs), signal conditioning circuits, and microcontrollers. The module converts analog sensor data into digital format, processes the data, and prepares it for transmission. The Data Acquisition Module plays a crucial role in ensuring the 32 accuracy and reliability of the data collected.

The Transmission Module is responsible for sending the collected data to the cloud server, or other devices in the IoT system. This module typically uses wireless communication protocols such as Wi-Fi, Bluetooth, Zigbee, or cellular networks. The Transmission Module ensures reliable and secure data transfer, often using encryption and authentication mechanisms. The transmitted data can then be processed, analyzed and visualized to gain insights and make informed decisions.

DATA PROCESSING AND ANALYTICS MODULE

The Data Processing and Analytics Module is a critical component of IoT systems responsible for extracting insights and meaningful information from the vast amounts of data generated by sensors and devices. This module uses various data processing and analytics techniques, such as data filtering, aggregation, and machine learning algorithms, to transform raw data into actionable insights. The Data Processing and Analytics Module performs several key functions, including data cleaning, data transformation, and data analysis. It also applies machine learning and deep learning algorithms to identify patterns, trends, and anomalies in the data. Additionally, this module provides data visualization capabilities, enabling users to easily interpret and understand the insights generated from the data. The insights generated by the Data Processing and Analytics Module can be used to optimize business processes, improve decision-making, and enhance the overall efficiency of IoT systems.

For example, in industrial automation, analytics can be used to predict equipment failures, optimize maintenance schedules, and improve 33 product quality. In smart cities, analytics can be used to optimize traffic flow reduce energy consumption, and improve public safety.

CLOUD STORAGE AND MANAGEMENT MODULE

The Cloud Storage and Management Module is a critical component of IoT systems responsible for storing, managing, and analyzing the vast amounts of data generated by sensors and devices. This module provides a scalable, secure, and reliable cloudbased infrastructure for data storage and management. It enables IoT devices to upload data to the cloud, where it can be processed, analyzed, and stored for future use.

The Cloud Storage and Management Module offers several key benefits, including scalability, flexibility, and cost-effectiveness. It enables IoT systems to handle large volumes of data, and provides a flexible and adaptable infrastructure that can be easily scaled up or down as needed. Additionally, this module provides advanced data management and analytics capabilities, enabling users to gain insights and make informed decisions based on their IoT data. The Cloud Storage and Management Module also provides robust security and data governance capabilities, ensuring that IoT data is protected from unauthorized access theft, or damage. It enables users to control access to their data, manage data retention and disposal, and ensure compliance with relevant regulatory requirements.

By providing a secure, scalable, and reliable cloud-based infrastructure for IoT data storage and management, this module enables IoT systems to unlock the full value of their data. 34

USER INTERFACE MODULE

The User Interface Module is a critical component of IoT systems, enabling users to interact with and control their IoT devices and applications. This module provides a user-friendly interface that allows users to monitor, manage, and control their IoT devices, receive notifications and alerts, and view data and analytics. The User Interface Module can be accessed through various devices, including smartphones tablets, laptops, and smartwatches. The User Interface Module offers several key benefits, including ease of use flexibility, and customization.

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

It enables users to easily monitor and control their IoT devices, receive real-time notifications and alerts, and view data and analytics in a clear and intuitive format. Additionally, this module provides a flexible and customizable interface that can be tailored to meet the specific needs and preferences of different users. The User Interface Module can be implemented using various technologies including web-based interfaces, mobile apps, voice assistants, and augmented reality (AR) and virtual reality (VR) interfaces. It can also be integrated with other IoT modules, such as data analytics and machine learning, to provide advanced features and capabilities. By providing a user-friendly and intuitive interface, the User Interface Moduleenables users to unlock the full potential of their IoT devices and applications.

NOTIFICATION AND ALERT MODULE

The Notification and Alert Module is a critical component of IoT systems, enabling users to receive timely and relevant notifications and alerts about their IoT devices 35 and applications. This module allows users to set up customized notification rules and alerts based on specific events, thresholds, or conditions, such as temperature fluctuations, motion detection, or equipment malfunctions.

The module can send notifications through various channels, including SMS, email, push notifications and voice assistants. The Notification and Alert Module offers several key benefits, including enhanced situational awareness, improved response times, and increased productivity. By receiving timely and relevant notifications, users can quickly respond to critical events, prevent equipment failures, and optimize their IoT systems. Additionally this module can help reduce false alarms and minimize unnecessary notifications ensuring that users receive only relevant and actionable information.

IV. CONCLUSION

Based on the care and management of animals in zoos, this study proposes a development architecture for the intelligent animal management system based on IoT and AI. The implementation of this architecture will be integrated into beacon, Wi-Fi, local area network Arduino, Raspberry Pi, AI, and various communication technologies such as cloud database and cloud computing. Through the use of these technologies, some cumbersome procedures for caring animals are automated through the IoT and AI to help animal administrators to systematically care for and manage animals, such as sensing the body temperature, mood, activity, and activity status of animals, surrounding environment and position. The structure proposed by this study is currently only a preliminary concept, and there are still many points that need further consideration and revision to meet the needs of the zoo.

V. ACKNOWLEDGMENT

This work was supported in part by the Ministry of Science and Technology (MOST) in Taiwan under grant MOST107-2622-E-324-002-CC3,MOST107-2221-E-324-020, MOST107-2821-C-324-001-ES,MOST107-2218-E-005-023,and the Chaoyang University of technology (CYUT) and the Ministry of Education in Taiwan under the project: “The R&D and the cultivation of talent for Health-promotion products”.

REFERENCES

[1] Association of Zoos and Aquariums. "Visitor Demographics". Accessed on October 2018. Available: https://www.aza.org/partnerships-visitor- demographics

[2] Airyzone."LuckyTag".Accessed on October. Available: https://www.indiegogo.com/projects/lucky-tag-a-smart-way-to-care-for- your-dog#/

[3] Japan Economic News. "AI Animal control experiment at Sapporo · Maruyama zoo". Accessed on October, 2018. Available: https://www.nikkei.com/article/DGXMZO26093060U8A120C1L41000/

[4] The Harvard Cazette. "Researchers give Snapshot Serengeti project an AIboost". Accessed on October,2018. Available: https://news.harvard.edu/gazette/story/2018/07/snapshot-serengeti-gets- a-boost-from-ai/

[5] M. S. Norouzzadeh et al., "Automatically identifying, counting, and describing wild animals in camera-trap images with deep learning," Proceedings of the National Academy of Sciences, p. 201719367, 2018.

[6] S. J. Russell and P. Norvig, Artificial intelligence: a modern approach. Malaysia; Pearson Education Limited, 2016.

www.ijircce.com | e-ISSN: 2320-9801, p-ISSN: 2320-9798| Impact Factor: 8.771| ESTD Year: 2013|

International Journal of Innovative Research in Computer and Communication Engineering (IJIRCCE)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

[7] J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, "Internet of Things (IoT): A vision, architectural elements, and future directions," Future generation computer systems, vol. 29, no. 7, pp. 1645-1660, 2013.
[8] S. D. T. Kelly, N. K. Suryadevara, and S. C. Mukhopadhyay, "Towards the implementation of IoT for environmental condition monitoring in homes," IEEE Sensors Journal, vol. 13, no. 10, pp. 3846-3853, 2013.
[9] I. Lee and K. Lee, "The Internet of Things (IoT): Applications, investments, and challenges for enterprises," Business Horizons, vol. 58, no. 4, pp. 431-440, 2015.
[10] S. S. Chawathe, "Beacon placement for indoor localization using bluetooth," in Intelligent Transportation Systems, 2008. ITSC 2008. 11th International IEEE Conference on, 2008, pp. 980-985: Citeseer.
[11] K. C. Cheung, S. S. Intille, and K. Larson, "An inexpensive bluetooth- based indoor positioning hack," in Proceedings of UbiComp, 2006, vol. 6.
[12] J. Zhu, K. Zeng, P. Mohapatra, and K. H. Kim, "Bluetooth beacon based location determination," ed: Google Patents, 2015.
[13] F. Ohrtman and K. Roeder, Wi-Fi handbook: Building 802.11 b wireless networks. McGraw-Hill New York, NY, 2003.
[14] Wikipedia. "Arduino". Accessed on October, 2018. Available: https://en.wikipedia.org/wiki/Arduino
[15] Wikipedia. "Raspberry Pi". Accessed on October, 2018. Available: https://en.wikipedia.org/wiki/Raspberry_Pi
[16] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," nature, vol. 521, no. 7553, p. 436, 2015.
[17] Wikipedia. "Weak AI". Accessed on October, 2018. Available: https://en.wikipedia.org/wiki/Weak_AI
[18] I. Goodfellow, Y. Bengio, A. Courville, and Y. Bengio, Deep learning. MIT press Cambridge, 2016.
[19] J. Schmidhuber, "Deep learning in neural networks: An overview,"
Neural networks, vol. 61, pp. 85-117, 2015..
[20]Kodi, D. (2024). Automating Software Engineering Workflows: Integrating Scripting and Coding in the Development Lifecycle . Journal of Computational Analysis and Applications (JoCAAA), 33(4), 635–652.
[21]A. Botta, W. De Donato, V. Persico, and A. Pescapé, "Integration of cloud computing and internet of things: a survey," Future Generation Computer Systems, vol. 56, pp. 684-700, 2016.
[22] J. W. Rittinghouse and J. F. Ransome, Cloud computing: implementation, management, and security. CRC press, 2016.

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

INNO SPACE SJIF Scientific Journal Impact Factor

doi cross ref

निस्केयर NISCAIR

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN COMPUTER & COMMUNICATION ENGINEERING

9940 572 462 6381 907 438 ijircce@gmail.com

www.ijircce.com

Scan to save the contact details